

# **V-9 LINEAR NET WEIGHER TWIN LANE**



## **Benefits and Advantages**

- •Tool-less disassembly and removal of hopper, weigh bucket & funnel. Quick disconnects reduces down time when cleaning and changing products.
- Automatic / pneumatic gate increases accuracy ensuring no additional product moves along the bulk pan.
- Pneumatics are not mounted to the weigh bucket; air lines do not have to be disconnected eliminating risk of contamination.
- Anti-vibration leveling pads increase accuracy of measured product.
- Built independent of floor frame for additional performance and flexibility.
- Open frame design provides easy access to all areas of the PrimoLinear making sanitation quick and easy.

Specifications subject to change without notice. 120918





# V-9 LINEAR NET WEIGHER TWIN LANE





# **Features**

- Sequential, random or latch cycle dumping
- Flow controls on pneumatic door opening
- Full range usable up to 9 quart (9L) weigh bucket volume
- Reads in one gram increments Off-center load-cell with overload protection
- Foot pedal activated or automatic dump cycle
- Two speed control on dribble pan
- Quick clamp weigh bucket assembly
- Adjustable dwell time for weigh bucket door opening
- Full seam weld construction with ground, polished joints
- Air regulator, filter and lubricator
- Modular frame design expandable
- Complete stainless steel design

# **Specifications**

#### **Electrical**

- North American 110 VAC / 60 Hz
- International 240 VAC / 1 Ph / 50 Hz
- All other electrical specifications available on request at additional cost

#### <u>Air</u>

- North American 1 CFM / 60 PSI
- International 30 L / min / 4

#### Weight Range

• 1 oz - 10 lbs (28 g - 4 kg). Subject to product density





# **FREE ONLINE SUPPORT**



## **REAL TIME SUPPORT FROM ANYWHERE IN THE WORLD**

## REDUCE DOWNTIME, CUT COSTS, AND INCREASE PRODUCTIVITY

### HOW IT WORKS

After making initial contact with our service department, on the color touch screen, simply click on Help and then Remote Support. Through the Primo Operating System, our technician will give you a pin code authorization number to enter on the touch screen at which point you are prompted to give consent to our technician to access the system.

Powered by Log Me () Log Mein Rescue Home English (UK)		Weighpack [14]		Customer –	∎ ×
Support Connection		Steven McKeown would like to perform one or more actions on this computer, including: - Remote control or view desktop - View system information - File and folder transfer, detex, overwrite or copy - Rebot and reconnect - Run scripts - Deploy Rescue Calling Card         -	n this	Disconnected. Powered by	igiMe®
Connect to technician Looking for LogMeInRescue.com? Copyright © 2005-2010 LogMeIn, Inc. All rights reserved.		Deputy Rescue Caming Card You are able to doel al remote activity on your computer at any time by clicking the red X in the toolbar, or by closing this support application. Click Yes to grant permissions, or No to deny. Yes No		2:51 PM Connecting to Rescue Gateway: control.app01- 13.logmetrescue.com.     2:51 PM Connected to Rescue Gateway. A support represent will be with you shortly.     2:52 PM Support session established with Steven McKeown.     2:55 PM Steven McKeown has ended the session.     2:55 PM Steven McKeown has ended the session.     2:55 PM Remote Control by Steven McKeown stopped.	tative



Specifications subject to change without notice. 120918




# **FREE ONLINE SUPPORT**



Benefits & Advantages

- Technicians are available immediately providing real-time support to you
- Eliminate delays related to dispatching of service technicians and travel time
- Online support will pay for itself the first time used
   Cut maintenance costs eliminate expensive
  - Cut maintenance costs eliminate expensive service calls from labor, travel, and out-of-pocket expenses
- Your system is secure with your ID number, you control who has access to your Primo



- Utilizes the latest in digital, technical support available on the market today including brandname software like Skype™, LogMeIn™, and VNC™
- Wireless or landline connectivity
- Secure system requiring a pin code and your consent for our technicians to access your system
- Software and firmware updates including new Primo features
- Touch screen panel is supplied with multiple USB ports for peripherals such as digital cameras and headsets allowing us to see what you see and for your staff to speak directly to our service technician

